

Bekijk hier de complete [Artemide](#) collectie.

PRODUCT DATA SHEET

Copernico 500 sospensione - White



DESIGN BY :

Carlotta de Bevilacqua , Paolo Dell'Elce
2012

MATERIALS :

Painted aluminium, PCB

DESCRIPTION :

Suspension lamp, an extension of the range of the Copernico series. Copernico is obtained from a single laser-cut sheet of anodised aluminium; when off the device appears completely flat. The modest volume and weight significantly reduce energy use during the transportation and storage phase. The articulation with copper contacts (patent pending) allows the power supply to pass between the concentric ellipses that make up the structure, and enables these to be rotated independently over 360°. The mobility of the elements and the low voltage LED light sources allow users to configure the light in space by clasping and physically moving the object, modulating emission according to need. The light flow can be oriented homogeneously in all directions (isotropic emission) or only spread over portions of the environment, enabling us to participate in the light experience.

Light emission



Diffused,direct,indirect



TECHNICAL DATA SHEET

FEATURES

Product name:	Copernico 500 sospensione - White
Article Code:	1608030A
Colour:	Polished white
Material:	Painted aluminium, PCB
Series:	Design
Environment:	Indoor
Area contract:	

OPTICS

Emission:	Diffused,direct,indirect
-----------	--------------------------


DIMENSIONS

Cutout width:	cm 49
Max Height from ceiling:	cm 220
Cutout shape:	

LAMPS INCLUDED

Category:	LED
Watt:	27
Luminous Flux (lm):	2380
Typology:	1
Color temperature (K):	3000
Class:	A

DIMENSIONS




LAMP



PRODUCT DATA SHEET

Copernico 500 sospensione - Red

**DESIGN BY :**

Carlotta de Bevilacqua , Paolo Dell'Elce
2012

MATERIALS :

Painted aluminium, PCB

DESCRIPTION :

Suspension lamp, an extension of the range of the Copernico series.

Copernico is obtained from a single laser-cut sheet of anodised aluminium; when off the device appears completely flat. The modest volume and weight significantly reduce energy use during the transportation and storage phase. The articulation with copper contacts (patent pending) allows the power supply to pass between the concentric ellipses that make up the structure, and enables these to be rotated independently over 360°.

The mobility of the elements and the low voltage LED light sources allow users to configure the light in space by clasping and physically moving the object, modulating emission according to need. The light flow can be oriented homogeneously in all directions (isotropic emission) or only spread over portions of the environment, enabling us to participate in the light experience.

Light emission

Diffused,direct,indirect



TECHNICAL DATA SHEET

FEATURES

Product name:	Copernico 500 sospensione - Red
Article Code:	1608040A
Colour:	Polished red
Material:	Painted aluminium, PCB
Series:	Design
Environment:	Indoor
Area contract:	

OPTICS


Emission:	Diffused,direct,indirect
-----------	--------------------------

DIMENSIONS

Cutout width:	cm 49
Max Height from ceiling:	cm 220
Cutout shape:	

LAMPS INCLUDED

Category:	LED
Watt:	27
Luminous Flux (lm):	2380
Typology:	1
Color temperature (K):	3000
Class:	A

DIMENSIONS**LAMP**

PRODUCT DATA SHEET

Copernico sospensione - Aluminium



DESIGN BY :

Carlotta de Bevilacqua , Paolo Dell'Elce
2010

MATERIALS :

Anodized aluminium

DESCRIPTION :

Suspension lamp, coordinated with the wall lamp model. Nine concentric mobile ellipses obtained from a single aluminium plate support a circuit of 384 white Leds; the ellipses rotate independently on two different axes, enabling the light emission to be directed and numerous spatial configurations to be obtained at the same time. When the device is closed it is completely flat.

Light emission



Diffused,direct,indirect

IP 20



TECHNICAL DATA SHEET

FEATURES

Product name:	Copernico sospensione - Aluminium
Article Code:	1623010A
Colour:	Metal grey
Material:	Anodized aluminium
Series:	Design
Environment:	Indoor
Area contract:	

OPTICS

Emission:	Diffused,direct,indirect
-----------	--------------------------




DIMENSIONS

Length:	cm 104
Width:	cm 41
Height:	cm 64
Max Height from ceiling:	cm 200
Rotation:	360
Cutout shape:	

LAMPS INCLUDED

Category:	LED
Watt:	38
Typology:	Led
Color Rendering:	N/s

DIMENSIONS



LAMP

IP 20



PRODUCT DATA SHEET

Copernico sospensione - Black

**DESIGN BY :**

Carlotta de Bevilacqua , Paolo Dell'Elce
2010

MATERIALS :

Anodized aluminium

DESCRIPTION :

Suspension lamp, coordinated with the wall lamp model. Nine concentric mobile ellipses obtained from a single aluminium plate support a circuit of 384 white Leds; the ellipses rotate independently on two different axes, enabling the light emission to be directed and numerous spatial configurations to be obtained at the same time. When the device is closed it is completely flat.

Light emission

Diffused,direct,indirect

IP 20     



TECHNICAL DATA SHEET

FEATURES

Product name:	Copernico sospensione - Black
Article Code:	1623020A
Colour:	Metal black
Material:	Anodized aluminium
Series:	Design
Environment:	Indoor
Area contract:	

OPTICS


Emission:	Diffused,direct,indirect
-----------	--------------------------

DIMENSIONS

Length:	cm 104
Width:	cm 41
Height:	cm 64
Max Height from ceiling:	cm 200
Rotation:	360
Cutout shape:	

LAMPS INCLUDED

Category:	LED
Watt:	38
Typology:	Led
Color Rendering:	N/s

DIMENSIONS**LAMP**

IP 20     

