De Projectinrichter

www.deprojectinrichter.com
088 - 650 12 34

BUZZISPACE STOFFEN

BuzziFelt/BuzziSkin..... p. 2
BuzziFabric..... p. 4
BuzziRough..... p. 6
BuzziSlicedFelt..... p. 8
BuzziTerra..... p.11
BuzziTartan..... p.13

ISO26000

TOGETHER WE MAKE TOMORROW MORE BEAUTIFUL

KAURI
Meeting point for global sustainable action

C2C NETWORK

act.
association for contract textiles

BUZZI SPACE

	COMPOSITION:	WEIGHT:	WIDTH:	THICKNESS:	ABRASION RESISTANCE:
BUZZISKIN:	100% Recycl P.E.T. Felt	1.000 g/m² *29.49 oz/yd²*	98 cm *38.58 inch*	6,1 mm *0.24 inch*	> 7.000 Martindale
BUZZIFELT:	100% Recycl P.E.T. Felt	1.000 g/m² *29.49 oz/yd²*	170 cm *66.93 inch*	6 mm *0.236 inch*	> 7.000 Martindale

FLAMMABILITY:
EU: EN 13501.1+A1/2009
BS476 Part 6 and 7 Class 0
USA: ASTM E84 Class B certified

FASTNESS TO LIGHT:
USA: 5

MAINTENANCE:
Vacuum clean regularly. Don't wash. Don't remove the BuzziSkin| BuzziFelt from the product.
Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.

MATCH:
Colour: batch to batch variations in shade may occur



BUZZISKIN | BUZZIFELT

ISO26000

TOGETHER WE MAKE TOMORROW MORE BEAUTIFUL

KAURI
Meeting point for global sustainable action

C2C NETWORK

act
association for contract textiles

BUZZI SPACE

BUZZISKIN



SK-Anthracite 68


SK-StoneGrey 67


SK-LightBlue 60


SK-EcoBrown 58


SK-OffWhite 63


SK-Curry 61



SK-Red 59


SK-Orange 66


SK-Pink 65


SK-Lime 64

BUZZIFELT


FE-LightBlue 60


FE-StoneGrey 67


FE-Anthracite 68


FE-Curry 61


FE-OffWhite 63


FE-EcoBrown 58


FE-Lime 64


FE-Pink 65


FE-Orange 66


FE-Red 59


BUZZISKIN = FELT + SELFADHESIVE BACKING


Front


Back

FELT + LATEX BACKCOATING = BUZZIFELT


Front


Back

batch to batch variations in shade & density may occur

BUZZIFABRIC

COMPOSITION:	WEIGHT:	WIDTH:	THICKNESS:	ABRASION RESISTANCE:
70% Recycled Wool 25% Recycled Polyacryl 5% Recycled Other Fabrics	405 g/m² *11.94 oz/yd²*	148 cm *58.27 inch*	0,8 mm *0.031 inch*	40.000 Martindale *50,000 Wyzenbeek*


FLAMMABILITY: EU: EN 1021.1/2006 | BS EN 1021.1/2006 (cigarette)
EN 1021.2/2006 | BS EN 1021.2/2006 (match)
USA: CAL TB 117

FASTNESS TO LIGHT: EU: 4
USA: 4

FASTNESS TO RUBBING: EU: Wet: 3-4 Dry: 4-5
FASTNESS TO CROCKING: USA: Wet: 5 Dry: 5

MAINTENANCE: Vacuum clean regularly. Don't wash. Don't remove the BuzziFabric from the product.
Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.

MATCH: Colour: batch to batch variations in shade may occur



BUZZIFABRIC

ISO26000


TOGETHER WE MAKE TOMORROW MORE BEAUTIFUL

KAURI
Meeting point for global sustainable action

C2C NETWORK

act
association for contract textiles

BUZZI SPACE


FA-LightGrey 1000


FA-Kiezel 7

FA-Ivory 101


FA-Naturel 1


FA-Beige 1037


FA-Dolphin 180


FA-Shitake 124


FA-DarkBrown 18


FA-Rust 29



FA-Taupe 1008


FA-Mint 50


FA-Azure 144


FA-Olive 53


FA-Army 14



FA-Zwart 1003


FA-MidGrey 1001


FA-Blue 45


FA-Petrol 56

BUZZIFABRIC


FA-Pink 73


FA-Purple 78



FA-Aubergine 74


FA-Prune 76


FA-Fuchsia 77


FA-Violet 72



FA-Navy 1007


FA-Indigo 90


FA-LightBlue 41


FA-Aqua 143


FA-OceanBlue 147


FA-Pistache 52


FA-Yellow 24


FA-Red 2011


FA-Fire 139


FA-Mandarin 129


FA-Orange 2012

BUZZIROUGH

COMPOSITION:	WEIGHT:	WIDTH:	THICKNESS:	ABRASION RESISTANCE:
100% Polyacryl	456 g/m² *13.45 oz/yd²*	148 cm *58.27 inch*	1,2 mm *0.047 inch*	40.000 Martindale


FLAMMABILITY: EU: EN 1021.1/2006 | BS EN 1021.1/2006 (cigarette)

FASTNESS TO LIGHT: EU: 5

FASTNESS TO RUBBING: EU: Wet: 3 Dry: 3

MAINTENANCE: Vacuum clean regularly. Don't wash. Don't remove the BuzziRough from the product.
Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.

MATCH: Colour: batch to batch variations in shade may occur



BUZZIROUGH

ISO26000


TOGETHER WE MAKE TOMORROW MORE BEAUTIFUL

KAURI
Meeting point for global sustainable action


C2C NETWORK


act.
association for contract textiles


BUZZI SPACE


RO-Taffy 185



RO-Champagne 186



RO-Coffee 81



RO-Celery 80



RO-Lemon 122


RO-Lime 157


RO-Olive 53


RO-Turtle 88



RO-Forest 162



RO-Ash 40



RO-Dolphin 180


RO-Charcoal 79


BUZZIROUGH


RO-Denim 153


RO-IceBlue 43



RO-LightBlue 41



RO-Niagara 158



RO-Hunter 156



RO-SkyBlue 142


RO-Estate 152


RO-Hyacinth 159


RO-Imperial 189



RO-LolliPop 187


RO-Dahlia 188


SLICED BUZZIFELT 100% RECYCL P.E.T. FELT



UniColour



BiColour



MultiColour

variation in colour & density may occur

SLICED BUZZIFELT 100% RECYCL P.E.T. FELT



Lime | Lime



Orange | Orange


Red | Red


Pink | Pink



EcoBrown | EcoBrown


LightBlue | LightBlue


StoneGrey | StoneGrey


Anthracite | Anthracite


OffWhite | OffWhite


Curry | Curry


OffWhite | Lime


OffWhite | Orange


OffWhite | Red


OffWhite | Pink


OffWhite | EcoBrown


OffWhite | LightBlue


OffWhite | StoneGrey


OffWhite | Anthracite


OffWhite | Curry


Grass


Savannah


Colibri


Tukan


Toendra


Zebra


Jane


Sigma

BUZZISKIN | BUZZIFELT

	COMPOSITION:	WEIGHT:	WIDTH:	THICKNESS:	ABRASION RESISTANCE:
BUZZISKIN:	100% Recycl P.E.T. Felt	1.000 g/m²	98 cm	6,1 mm	> 7.000 Martindale
		29.49 oz/yd²	*38.58 inch*	*0.24 inch*	
BUZZIFELT:	100% Recycl P.E.T. Felt	1.000 g/m²	170 cm	6 mm	> 7.000 Martindale
		29.49 oz/yd²	*66.93 inch*	*0.236 inch*	

FLAMMABILITY:
EU: EN 13501.1+A1/2009
BS476 Part 6 and 7 Class 0
USA: ASTM E84 Class B certified

FASTNESS TO LIGHT:
USA: 5

MAINTENANCE:
Vacuum clean regularly. Don't wash. Don't remove the BuzziSkin| BuzziFelt from the product.
Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.



MATCH:
Colour: batch to batch variations in shade may occur





ISO26000

TOGETHER WE MAKE TOMORROW MORE BEAUTIFUL

KAURI
Meeting point for global sustainable action

C2C NETWORK

act
association for contract textiles

BUZZITERRA

COMPOSITION:	WEIGHT:	WIDTH:	ABRASION RESISTANCE:
100% Pure New Wool	370 g/m² *10.91 oz/yd²*	137 cm *53.94 inch*	40.000 Martindale *25,000 Wyzenbeek*

FLAMMABILITY: EU: BS5852 CRIB 5
USA: CAL TB 117

FASTNESS TO LIGHT: EU: 5
USA: 5

FASTNESS TO RUBBING: EU: Wet: 4 Dry: 4
FASTNESS TO CROCKING: USA: Wet: 4 Dry: 4


MAINTENANCE: Vacuum clean regularly. Don't wash. Don't remove the BuzziTerra from the product.
Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.

MATCH: Colour: batch to batch variations in shade may occur
Weight: ± 5%
Width: ± 2%

CRIB 5



BUZZITERRA



TE-Mauve K36




TE-Grape AK19



TE-Airforce AU24




TE-Lilac K37



TE-Wedgewood K38



TE-Terracotta AB15




TE-Gorse AM20



TE-Lovat AN21



TE-Seagrass AP22




TE-Mustard K42



TE-Buttermilk BB28



TE-Willow BF31



TE-Pomegranate AE17




TE-Candy K34



TE-Strawberry K35



TE-Violet BM29




TE-Raspberry AF18




TE-Silver N08



TE-Flint P09



TE-Charcoal R10



TE-Mocha D03



TE-Honey PMJ6



TE-Mandarin K41



TE-Walnut X13

COLOUR:	COMPOSITION:	WEIGHT:	WIDTH:	REPEAT:	ABRASION RESISTANCE:
Massif Charcoal Red X13*	100% Pure New Wool	475 g/m²	137 cm	11 x 11,9 cm	> 30.000 Martindale
		14.01 oz/yd²	*53.94 inch*	*4.33 x 4.69 inch*	*20,000 Wyzenbeek*
Buffalo Red A01*	100% Pure New Wool	475 g/m²	137 cm	11 x 11,5 cm	> 30.000 Martindale
		14.01 oz/yd²	*53.94 inch*	*4.33 x 4.53 inch*	*20,000 Wyzenbeek*
Charcoal Ecru U11	100% Lambswool	475 g/m²	137 cm	6 x 6,2 cm	> 30.000 Martindale
		14.01 oz/yd²	*53.94 inch*	*2.36 x 2.44 inch*	*20,000 Wyzenbeek*
Charcoal Multi F04	100% Lambswool	475 g/m²	137 cm	11,08 x 12,5 cm	> 30.000 Martindale
		14.01 oz/yd²	*53.94 inch*	*4.36 x 4.92 inch*	*20,000 Wyzenbeek*
Beige Natural R10	100% Lambswool	475 g/m²	137 cm	6 x 6,2 cm	> 30.000 Martindale
		14.01 oz/yd²	*53.94 inch*	*2.36 x 2.44 inch*	*20,000 Wyzenbeek*
Glacier D05*	100% Pure New Wool	475 g/m²	137 cm	19,5 x 35 cm	> 30.000 Martindale
		14.01 oz/yd²	*53.94 inch*	*7.68 x 13.78 inch*	*20,000 Wyzenbeek*
Blue Multi X13	100% Lambswool	475 g/m²	137 cm	9,5 x 10,3 cm	> 30.000 Martindale
		14.01 oz/yd²	*53.94 inch*	*3.74 x 4.06 inch*	*20,000 Wyzenbeek*
Hessian B02*	100% Pure New Wool	475 g/m²	137 cm	8 x 8 cm	> 30.000 Martindale
		14.01 oz/yd²	*53.94 inch*	*3.15 x 3.15 inch*	*20,000 Wyzenbeek*
Grey P21*	100% Pure New Wool	475 g/m²	137 cm	15,2 x 15,2 cm	> 30.000 Martindale
		14.01 oz/yd²	*53.94 inch*	*5.98 x 5.98 inch*	*20,000 Wyzenbeek*
Grape X21*	100% Pure New Wool	475 g/m²	137 cm	22,5 x 24,8 cm	> 30.000 Martindale
		14.01 oz/yd²	*53.94 inch*	*8.86 x 9.76 inch*	*20,000 Wyzenbeek*

FLAMMABILITY:	EU:	BS5852 CRIB 5	
	USA:	CAL TB 117	
FASTNESS TO LIGHT:	EU:	5	
	USA:	5	
FASTNESS TO RUBBING:	EU:	Wet: 4	Dry: 4
FASTNESS TO CROCKING:	USA:	Wet: 4.5	Dry: 4.5

MAINTENANCE: Vacuum clean regularly. Don't wash. Don't remove the BuzziTartan from the product.
Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.

MATCH:
Colour: batch to batch variations in shade may occur
Weight: ± 5%
Width: ± 2%

CRIB 5

ISO26000


Meeting point for global sustainable action

association for contract textiles


BUZZITARTAN



TA-Massif Charcoal Red X13




TA-Buffalo Red A01



TA-Charcoal Ecru U11



TA-Charcoal Multi F04



TA-Beige Natural R10

BUZZITARTAN



TA-Glacier D05



TA-Blue Multi X13



TA-Hessian B02



TA-Grey P21



TA-Grape X21

De Projectinrichter

www.deprojectinrichter.com
088 - 650 12 34