

design made in germany

Wilkhahn

Travis height-adjustable.

661 range

De Projectinrichter

Prestigious. Energising. Dynamic.

www.deprojectinrichter.com
088 - 650 12 34

Lack of physical activity in offices is considered the main reason for back pain, headaches, fatigue and other complaints in the modern world. At desks or in conference rooms – the majority of office work is sedentary. Which is why, in addition to dynamic seating, alternating between standing and sitting is becoming increasingly important. Getting up and standing for a time while working pays dividends. Especially when your body's seized up and your creative powers are stalling. And the same applies the other way round too. If meetings at high tables drag on, sitting down in between helps take the pressure off.

Consequently, the standalone tables (71 – 118 cm) with electrically height-adjustable frames perfectly complement the impressive Travis conference table system. The rectangular shapes (90x180 cm, 100x200 cm) are ideal as desks or as conference tables. And a sitting-down meeting with eight people at the barrel-shaped table (80/100x230 cm) can quickly become a standing-up one.



Travis height-adjustable

661/92 model



The electrically height-adjustable, barrel-shaped Travis table is high quality, lightweight, elegant and versatile. It encourages people to interact and join in. It's a superb choice as a conference table with chairs, or for meetings while standing up. It's excellent in combination with the Stitz leaning aid (design: ProduktEntwicklung Roericht) which with adjustable heights and angles to suit preferences mixes relaxation with three-dimensional motion.



Similarly to the Travis conference table system, three edge shapes and a wide range of surfaces deliver seamless solutions to suit personal design concepts.



The frames are also designed accordingly. The T-shaped base and the telescopic table column that opens out are bright chromium-plated, coated black or in a silver, satin finish.



Change from sitting to standing at the touch of a button. The position required can be precisely adjusted on the electrical height-adjustment panel.

design made in germany

Wilkhahn

Travis. 660 range



www.deprojectinrichter.com
Bel gratis 0800-566 66 66



Model 664/10
Design: wiege

Spatial, customized solutions and perfect integration of technical equipment – Travis combines individual requirements with the aesthetic excellence of industrialized, series production.



Travis.

The new dimension in conferencing.

Growing specialization and complexity require more and more cooperation and agreement. The frequency of meetings and conferences and the time they require is increasing accordingly. Conference equipment and furniture should be top priority when specifying conference interiors:

- To bring people together, strengthen their common interests and promote decision processes.
- To convey the values and approach of the company in a lasting manner.
- To open up the multimedia virtual world in view of globalization and worldwide networking.

As these tasks require highly individual solutions depending on the company, room dimensions and media technology, Wilkhahn has collaborated with the wiege design studio to develop the new Travis table range that combines significant advantages:

- Derived from the Italian word “trave” (beam), the name characterizes the advantage of table configurations permitting a span of up to three metres with just a few table legs. This creates a calm atmosphere, allows flexibility in terms of the number of seats and facilitates floor cleaning.
- The modular frame is an articulating structure comprising pedestal legs, beams and table top bearers, thus providing perfectly coordinated frame geometry for virtually any form and format: for a configuration that is solid or open-centred, circular, oval, barrel-shaped, boat-shaped or faceted.
- Specially developed, retractable cable channels, adapted to the specific length of the beams and linking angles, open up a host of possibilities for integrating state-of-the-art media technology into table configurations in a way that is easily accessible, functionally and aesthetically perfect.

In a nutshell: Travis accommodates individual requirements with lasting aesthetics, technical functionality and sustainable quality of the highest degree.



This boat-shaped, open-centred table configuration (model 664/10) is designed to provide fourteen to sixteen delegate places. The curved shape facilitates interaction among participants. The table with oak veneer, stained in the colour grey, chamfered table edges and six bright chromium-plated pedestal legs with slender T-shaped foot sections give the configuration a light and graceful appearance. The table configuration appears to have floating surfaces due to the minimal understructure.

The table portals, with veneered hinged covers, provide simple access to the individually specifiable connectivity modules that are retained within cable management channels immediately below the table surfaces. This provides ample space for surplus cable and network adapters so that the table surface may be kept free and tidy. If Wilkhahn 4C-Boxes are used, every participant can access a presentation via a digital projector at the press of a button.



Tidy and technically perfect: the table portal with integral connectivity modules and concealed cable management in the pedestal column. Technology under visual control.



In addition to a chamfered and a straight edge profile, a bullnose double edge profile is available as the table lipping option. And: as an alternative to the T-shaped base, there is also a disc base, optionally bright chromium-plated, brushed, coated in the colour silver with a satin finish or black. In line with Wilkhahn's high quality standards, it almost goes without saying that the beams and table top bearers may also be colour-coordinated.





Travis allows extremely wide scope not only in terms of table forms and formats, but also allows the surface finish of the table tops and frame finishes to be coordinated with a specific design or utilization concept. The white conference table configuration (model 662/40), with a span of 360 cm to accommodate ten to twelve participants, requires two pedestal legs only. It has a high-performance coating and a straight edge profile. In combination with the graceful and transparent swivel chairs from the Aline range, the result is an extremely loose and light ambience.

Travis.

Customization perfected by series production.

The Travis range offers a host of pre-specified model variations that provide a solution to many requirements. The modular frame structure also allows customized solutions – in the same excellent quality as the series models as its design is both simple and intelligent:

- Two pedestal supports are linked via a beam in extruded aluminium profile with a high-precision finish over a maximum length of three metres, using either an end closure or a pivoting mechanism which accepts the next beam at a specifiable angle (within a range of 90°–180°). This system allows the pedestal supports and beams to be linked to create limitless configurations.
- Positionable table top bearers in die-cast aluminium slide into the mounting grooves on both sides of the beams as required and are secured in the required position. A unique leveller device at the end of the bearer onto which the table tops are located not only gives the table top segments their “floating” character, but it also guarantees simple and precise positioning to give even complex configurations a coherent appearance.
- The retractable cable channels are finished to match the beams and the corner brackets to ensure a coherent design language in any configuration down to the very last detail. The additional cost of such perfection pays off quickly in terms of use: due to smooth functioning, fast and simple accessibility, exchangeability of connection modules as required and time-saving operation.

When the desired frame has been configured, the table top segments are simply positioned, secured and levelled via the table top bearers. The modular frame structure allows future adjustment as required.

Circular or angular, boat-shaped or barrel-shaped, as an open-centred or a solid configuration, with a disc base or a T-shaped base, with chamfered, straight or bullnose double edge profile, with elegant veneer or hardwearing coating – Travis is the ideal range for customized conference table configurations. We hope you will be inspired to create your own ideas. Your brief is our challenge – the Wilkhahn Customized Manufacturing Centre looks forward to tailoring a solution just for you.



An intelligent addition to open-centred configurations: modesty panels coordinated with table contours in terms of length or radius.



Perfect industrial design: the beams and the table top bearers allow optimal adjustment to meet individual preferences.



The linking angle may be liberally selected within a range of 90° to 180°.




Versatile details: three different types of edge profiles and a wide choice of surface finishes to merge with an existing design theme.



Depending on the table top format, the table form and the application, pedestal legs with a disc base or a T-shaped base are available.



Travis is striking as a free-standing table too. Generous legroom, table tops spanning up to 280 x 120 cm (fig. model 661/6) and elegant surface finishes are a sure mark of prestige in an executive's office.



Easily accessible, spacious and integrating perfect, optional equipment: cable channels in high-quality aluminium.

Put an end to cable clutter and makeshift arrangements: connectivity modules permitting variable configuration are integrated at a convenient and safe-to-use angle.



Optionally available: the specially developed 4C-Boxes with "show-me button" for spontaneous visual presentation of material from every workplace.



Larger pieces of technical equipment, such as retractable monitors, are mounted in a concealed manner into the techni-frames to ensure that table tops do not have to support the weight load.

Travis. Ready for the challenge.

Media technology has become an indispensable part of modern conference spaces. However, the way in which it is used invariably becomes a source of aggravation rather than of support: tedious cable installations and time and effort required for subsequent changes are a considerable cost factor. Cable clutter and network adapters on tables create a chaotic impression, inconvenient switching between sources of connectivity or even insufficient connections impair human interplay. From the very outset, Travis was therefore developed as a table system that allows perfect, user-friendly and coherent integration of modern technology.

The interior of the retractable cable management channels has special mounting grooves to accept modules for power, data, audio and network connections as required. The connectivity modules are fixed at an angle to permit easy access via the integral, hinged table portals. For more convenience and if required, modules may include dividers for separate channelling of power and data cables; and strain anchors ensure safe and interference-free connections. Besides, the cable management channels are so spacious that they can also accept network adapters or battery charging devices for mobile telephones in addition to surplus cable.

A joint project between Wilkhahn and its subsidiary company, foresee™, resulted in the development of connectivity modules with a "show-me button"; the modules are optionally available and connected in series. At the push of a button, a participant can access a presentation on the output device from his or her place via a notebook to make contents spontaneously available to all other participants. What is more: only one cable string is required per table configuration to supply up to 40 users with all connections necessary.

Variable positioning of the table top bearers in the beam ensure that integrated technical equipment and table portals are located precisely where they are needed. If media technology is to be integrated, for example a retractable computer display, a variably positionable techni-frame is inserted between beam sections to ensure that the weight load is supported by the table frame and not by the table top.

We will be delighted to meet you for a personal consultation to find a technical solution that is perfectly tailored to your specific needs and provides you with optimal benefits.




1



2




3



4



5



6



7



8



9



10



11



12

1_Cable outlet aluminium, clear anodized 2_Cable outlet veneered to match table top 3_Integrated Techni-station Executive aluminium, with single-direction access 4_Telephone conference module aluminium, closed 5_Integrated double Techni-station Executive aluminium, with dual-direction access 6_Integrated double Techni-station Executive aluminium, with dual-direction access, closed 7_Telephone conference module aluminium, opened up 8_Integrated Techni-station Comfort aluminium, flipped up 9_Table portal veneered to match table top, open 10_Table portal veneered to match table top, closed 11_Double table portal veneered to match table top, with dual-direction access 12_Slot-in microphone

Functions. Materials. Models.

Function

Modular pedestal table system for configuring individually specified, static table configurations and free-standing tables for furnishing conference and executive interiors with a classic character in which wide spans of tables, customized table formats and forms and perfect integration of media technology are required.

Frame

T-shaped base in bright chromium-plated, die-cast aluminium or coated in the colour silver, satin finish, or black. Disc base in steel with a stainless steel covering, high-lustre polished, brushed or coated in the colour silver, satin finish, or black. Table column in steel tube, in bright chromium-plated or coated in the colour silver, satin finish, or black. Column optionally with duct for power supply (please specify when ordering). Beam with five mounting grooves in extruded aluminium profile, coated in the colour silver, satin finish, or black.

End closures and pivoting mechanism for attachment to table columns in die-cast aluminium in the same colour as the beam. Table top bearers in die-cast aluminium coated to match the beams in the colour silver, satin finish, or black,

for attaching the table top; the table top bearers are infinitely positionable within the beam and include steel devices for levelling out surface irregularities. Adjustable glides in black polypropylene, optionally with felt insert (for hard floors). The T-shaped base has colour-matched cover caps in stainless steel.

Base materials: table tops

Particle board for straight and double bullnose edge profile; MDF panel for chamfered edge profile.

Table top group 1 – laminate

Table top thickness 27 mm


Laminate according to Wilkhahn laminate samples.

Polypropylene edge profile in the same colour as the table surface.


Only straight edge profile possible.

Table top group 2 – veneer on top and underside


Table top thickness 27 mm




661/6, 120 x 280




661/61, 120 x 280




661/62, 120 x 280



662/30, diameter 240, 8–10* persons




662/40, 120 x 360, 10–12* persons



662/10, 180 x 340, 10–14* persons

662/20, 180 x 540, 14–18* persons



662/50, 220 x 360, 10–14* persons

662/60, 240 x 540, 14–18* persons

Variation 1

Beech, maple, oak or ash veneer according to Wilkhahn woodstain colour samples (exception: maple or ash with a natural finish is not available with a straight edge profile). Solid wood lipping as far as possible in the same colour as the veneer.

Variation 2

Cherry or walnut veneer according to Wilkhahn woodstain colour samples. Solid wood lipping as far as possible in the same colour as the veneer. Real wood veneer is processed by slip-match method onto the table top.

Modesty panels

In fluted aluminium that can be shaped to adapt to the contours of the table configuration; clear anodized or coated in the colour silver, satin finish, or black. Support brackets in steel, coated in the colour silver, satin finish, or black.


Cable channels

Fold-down, in extruded aluminium profile with guiding grooves, coated in the colour silver, satin finish, or black depending on the surface finish. Optional dividers and strain anchors in black plastic.


Techni-frames

Optional techni-frames in steel profile coated in the same colour as the beams and table top bearers, allowing variable positioning in depth, for insertion between ends of beams.


Subject to technical change without notice.



661/63, 120 x 280




661/8, 120 x 280



663/60, circular table configuration,
table top depth 90, diameter 1126,
36 persons


665/60, circular table configuration,
table top depth 120, diameter 1156,
36 persons



Example of U-shape: table top depth
90, 360 x 360, 12–15* persons


All dimensions in cm

* Number of persons in a high density seating arrangement (70 cm edge length per person)




664/30, table top depth 90, 398 x 1234, 30–32* persons

666/30, table top depth 120, 456 x 1277, 30–32* persons




664/70, table top depth 90, 290 x 1253, 30–32* persons

666/70, table top depth 120, 349 x 1308, 30–32* persons




664/10, table top depth 90, 227 x 537, 14–16* persons

666/10, table top depth 120, 287 x 592, 14–16* persons




664/20, table top depth 90, 317 x 537, 16–18* persons

666/20, table top depth 120, 377 x 592, 16–18* persons




664/40, table top depth 90, 468 x 1234, 32–34* persons

666/40, table top depth 120, 546 x 1277, 32–34* persons




664/80, table top depth 90, 380 x 1253, 32–34* persons

666/80, table top depth 120, 439 x 1308, 32–34* persons



664/50, table top depth 90, 204 x 540, 14–16* persons

666/50, table top depth 120, 263 x 597, 14–16* persons



664/60, table top depth 90, 294 x 540, 16–18* persons

666/60, table top depth 120, 353 x 597, 16–18* persons

Travis. Conference. Excellence. State-of-the-art.

Wilkhahn started to specialize in furnishing conference interiors with high-quality design and customized solutions many years ago. Table ranges such as Confair, Timetable, Logon or Palette have set new international standards for dynamic and variable table configurations that are still valid today. And Wilkhahn was the first company to integrate modern, interactive information and communication technologies into conference furniture, thus creating a new generation of solutions for conference settings. Competence in terms of concept formation, award-winning industrial design, high-quality customization and technological know-how mark the excellence of Wilkhahn conference furniture solutions throughout the world.

Global experience and the latest knowledge on the quality of applications, features and design have been incorporated into the development of Travis in order to offer "Conference. Excellence." within static meeting environments also.

The pre-specified models of free-standing tables and table configurations will give you an initial overview of the host of possibilities for coordinating Travis solutions with space format, the number of seats required and the utilization concept. In addition, there is extremely wide scope for re-dimensioning table sizes and forms, and for specifying table surface finishes and technical equipment to meet your personal requirements.

Your brief is our challenge.

Wilkhahn

Wilkening + Hahne GmbH+Co. KG
Fritz-Hahne-Straße 8
31848 Bad Münder
Germany
Tel. + 49 (0) 5042 999-0
Fax + 49 (0) 5042 999-226
info@wilkhahn.de
www.wilkhahn.de

Australia
Wilkhahn Asia Pacific
Head Quarters
Wilkhahn Forum Sydney
A2, Alexandria Industrial Estate
46-62 Maddox Street
Alexandria NSW 2015
Tel. + 61 (2) 9310 3355
Fax + 61 (2) 9319 5655
wilkhahn@wilkhahn.com.au

Wilkhahn Forum Brisbane
2/40 Douglas Street
Milton QLD 4064
Tel. + 61 (7) 3369 2088
Fax + 61 (7) 3369 3088
wilkhahn@wilkhahn.com.au

Wilkhahn Forum Melbourne
Level 1, 423 Bourke Street
Melbourne VIC 3000
Tel. + 61 (3) 9670 5570
Fax + 61 (3) 9670 5535
wilkhahn@wilkhahn.com.au

Belgium
Wilkhahn
Oude Leeuwenrui 7-11
2000 Antwerpen
Tel. + 32 (0) 3 232 93 91
Fax + 32 (0) 3 227 16 16
info@wilkhahn.be

Central and Eastern Europe
Wilkhahn Poland
Focus Building
Ul. Armii Ludowej 26
00-609 Warszawa
Tel. + 48 (0) 22 579 77 55
Fax + 48 (0) 22 579 77 56
marek.poniewierka@wilkhahn.pl

China
Wilkhahn Asia Pacific
Wilkhahn Forum Shanghai
Suite 7602, Building 7
No. 10 Jian Guo Zhong Road
Lu Wan District
Shanghai 200025
Tel. + 86 (21) 5466 1919
Fax + 86 (21) 5465 1642
wilkhahn@wilkhahn.com.au

España
Wilkhahn S. A.
Apolonio Morales, 6
28036 Madrid
Tel. + 34 91 515 85 80
Fax + 34 91 411 46 86
infocomercial@wilkhahn.es
www.wilkhahn.es

France
Wilkhahn S.à r.l.
Hôtel industriel Berlier
15 rue Jean-Baptiste Berlier
75013 Paris
Tél. + 33 (0) 1 44 23 76 70
Fax + 33 (0) 1 44 23 76 75
info@wilkhahn.fr

Great Britain
Wilkhahn Ltd.
Wilkhahn Forum London
Morelands
5-23E Old Street
London EC1V 9HL
Tel. + 44 (0) 20 73 24 29 00
Fax + 44 (0) 20 73 24 29 01
sales@wilkhahn.co.uk

Hong Kong
Wilkhahn Asia Pacific
Wilkhahn Forum Hong Kong
Shui On Centre, Unit 907
6-8 Harbour Road, Wanchai
Tel. + 852 2827 0800
Fax + 852 2827 0855
wilkhahn@wilkhahn.com.au

Japan
Wilkhahn Japan Co., Ltd.
Axis Building 3F
5-17-1 Roppongi
Minato-ku
Tokyo 106-0032
Tel. + 81 (0) 3 5573 2411
Fax + 81 (0) 3 5573 2413
info@wilkhahn.co.jp
www.wilkhahn.co.jp

Malaysia
Wilkhahn Asia Pacific
Wilkhahn Forum Kuala Lumpur
Menara Haw Par, Suite 29.02
Jalan Sultan Ismail
Kuala Lumpur 50250
Tel. + 60 (3) 2072 8077
Fax + 60 (3) 2072 1868
wilkhahn@wilkhahn.com.au

Nederland
Wilkhahn Forum Rotterdam
Van Nelle-Ontwerpfabriek
Van Nelleweg 3138
3044 BC Rotterdam
Tel. + 31 (0) 10 750 33 90
Fax + 31 (0) 10 750 33 91
info@wilkhahn.nl

North America
Vecta®
1800 South Great
Southwest Parkway
Grand Prairie
Texas 75051
Tel. + 1 (0) 972 641 28 60
Fax + 1 (0) 972 660 17 46
mrose@vecta.com
www.vecta.com

Österreich
Wilkhahn Handelsges.m.b.H.
Wimbergergasse 12
Kundeneingang Kaiserstraße 69
1070 Wien
Tel. + 43 (0) 1 894 21 68-0
Fax + 43 (0) 1 890 32 39-15
office@wilkhahn.at

Schweiz
Wilkhahn AG
Postgasse 17
Postfach 808
3000 Bern 8
Tel. + 41 (0) 31 310 13 13
Fax + 41 (0) 31 310 13 19
info@wilkhahn.ch
www.wilkhahn.ch

Singapore
Wilkhahn Asia Pacific
Wilkhahn Forum Singapore
61 Alexandra Terrace
#07-03 Harbour Link
Singapore 119936
Tel. + 65 622 111 86
Fax + 65 622 111 25
wilkhahn@wilkhahn.com.au

South Africa
Emergent Office Solutions Pty. Ltd.
P.O. Box 2963
Johannesburg 2000
Tel. + 27 (0) 11 575 00 44
Fax + 27 (0) 11 576 19 35
info@emergent.co.za
www.emergent.co.za

United Arab Emirates
Wilkhahn Middle East
DAFZA Phase 4
Block A
Office 132
Dubai
Tel. + 971 42 04 51 32
Fax + 971 42 04 51 34
victor.ramos@wilkhahn.de

Witteveen Projectinrichting
Ouderkerk a/d Amstel
Tel: 020 - 496 5030
Fax: 020 - 496 3052
info@witteveen.nl
www.project-inrichting.nl

design made in germany

Wilkhahn

Travis.

660 range





Model 664/10
Design: wiege

Spatial, customized solutions and perfect integration of technical equipment – Travis combines individual requirements with the aesthetic excellence of industrialized, series production.



Travis.

The new dimension in conferencing.

Growing specialization and complexity require more and more cooperation and agreement. The frequency of meetings and conferences and the time they require is increasing accordingly. Conference equipment and furniture should be top priority when specifying conference interiors:

- To bring people together, strengthen their common interests and promote decision processes.
- To convey the values and approach of the company in a lasting manner.
- To open up the multimedia virtual world in view of globalization and worldwide networking.

As these tasks require highly individual solutions depending on the company, room dimensions and media technology, Wilkhahn has collaborated with the wiege design studio to develop the new Travis table range that combines significant advantages:

- Derived from the Italian word “trave” (beam), the name characterizes the advantage of table configurations permitting a span of up to three metres with just a few table legs. This creates a calm atmosphere, allows flexibility in terms of the number of seats and facilitates floor cleaning.
- The modular frame is an articulating structure comprising pedestal legs, beams and table top bearers, thus providing perfectly coordinated frame geometry for virtually any form and format: for a configuration that is solid or open-centred, circular, oval, barrel-shaped, boat-shaped or faceted.
- Specially developed, retractable cable channels, adapted to the specific length of the beams and linking angles, open up a host of possibilities for integrating state-of-the-art media technology into table configurations in a way that is easily accessible, functionally and aesthetically perfect.

In a nutshell: Travis accommodates individual requirements with lasting aesthetics, technical functionality and sustainable quality of the highest degree.



This boat-shaped, open-centred table configuration (model 664/10) is designed to provide fourteen to sixteen delegate places. The curved shape facilitates interaction among participants. The table with oak veneer, stained in the colour grey, chamfered table edges and six bright chromium-plated pedestal legs with slender T-shaped foot sections give the configuration a light and graceful appearance. The table configuration appears to have floating surfaces due to the minimal understructure.

The table portals, with veneered hinged covers, provide simple access to the individually specifiable connectivity modules that are retained within cable management channels immediately below the table surfaces. This provides ample space for surplus cable and network adapters so that the table surface may be kept free and tidy. If Wilkhahn 4C-Boxes are used, every participant can access a presentation via a digital projector at the press of a button.



Tidy and technically perfect: the table portal with integral connectivity modules and concealed cable management in the pedestal column. Technology under visual control.



In addition to a chamfered and a straight edge profile, a bullnose double edge profile is available as the table lipping option. And: as an alternative to the T-shaped base, there is also a disc base, optionally bright chromium-plated, brushed, coated in the colour silver with a satin finish or black. In line with Wilkhahn's high quality standards, it almost goes without saying that the beams and table top bearers may also be colour-coordinated.





Travis allows extremely wide scope not only in terms of table forms and formats, but also allows the surface finish of the table tops and frame finishes to be coordinated with a specific design or utilization concept. The white conference table configuration (model 662/40), with a span of 360 cm to accommodate ten to twelve participants, requires two pedestal legs only. It has a high-performance coating and a straight edge profile. In combination with the graceful and transparent swivel chairs from the Aline range, the result is an extremely loose and light ambience.

Travis.

Customization perfected by series production.

The Travis range offers a host of pre-specified model variations that provide a solution to many requirements. The modular frame structure also allows customized solutions – in the same excellent quality as the series models as its design is both simple and intelligent:

- Two pedestal supports are linked via a beam in extruded aluminium profile with a high-precision finish over a maximum length of three metres, using either an end closure or a pivoting mechanism which accepts the next beam at a specifiable angle (within a range of 90°–180°). This system allows the pedestal supports and beams to be linked to create limitless configurations.
- Positionable table top bearers in die-cast aluminium slide into the mounting grooves on both sides of the beams as required and are secured in the required position. A unique leveller device at the end of the bearer onto which the table tops are located not only gives the table top segments their “floating” character, but it also guarantees simple and precise positioning to give even complex configurations a coherent appearance.
- The retractable cable channels are finished to match the beams and the corner brackets to ensure a coherent design language in any configuration down to the very last detail. The additional cost of such perfection pays off quickly in terms of use: due to smooth functioning, fast and simple accessibility, exchangeability of connection modules as required and time-saving operation.

When the desired frame has been configured, the table top segments are simply positioned, secured and levelled via the table top bearers. The modular frame structure allows future adjustment as required.

Circular or angular, boat-shaped or barrel-shaped, as an open-centred or a solid configuration, with a disc base or a T-shaped base, with chamfered, straight or bullnose double edge profile, with elegant veneer or hardwearing coating – Travis is the ideal range for customized conference table configurations. We hope you will be inspired to create your own ideas. Your brief is our challenge – the Wilkhahn Customized Manufacturing Centre looks forward to tailoring a solution just for you.



An intelligent addition to open-centred configurations: modesty panels coordinated with table contours in terms of length or radius.



Perfect industrial design: the beams and the table top bearers allow optimal adjustment to meet individual preferences.



The linking angle may be liberally selected within a range of 90° to 180°.



Versatile details: three different types of edge profiles and a wide choice of surface finishes to merge with an existing design theme.



Depending on the table top format, the table form and the application, pedestal legs with a disc base or a T-shaped base are available.



Travis is striking as a free-standing table too. Generous legroom, table tops spanning up to 280 x 120 cm (fig. model 661/6) and elegant surface finishes are a sure mark of prestige in an executive's office.



Easily accessible, spacious and integrating perfect, optional equipment: cable channels in high-quality aluminium.

Put an end to cable clutter and makeshift arrangements: connectivity modules permitting variable configuration are integrated at a convenient and safe-to-use angle.



Optionally available: the specially developed 4C-Boxes with "show-me button" for spontaneous visual presentation of material from every workplace.



Larger pieces of technical equipment, such as retractable monitors, are mounted in a concealed manner into the techni-frames to ensure that table tops do not have to support the weight load.

Travis. Ready for the challenge.

Media technology has become an indispensable part of modern conference spaces. However, the way in which it is used invariably becomes a source of aggravation rather than of support: tedious cable installations and time and effort required for subsequent changes are a considerable cost factor. Cable clutter and network adapters on tables create a chaotic impression, inconvenient switching between sources of connectivity or even insufficient connections impair human interplay. From the very outset, Travis was therefore developed as a table system that allows perfect, user-friendly and coherent integration of modern technology.

The interior of the retractable cable management channels has special mounting grooves to accept modules for power, data, audio and network connections as required. The connectivity modules are fixed at an angle to permit easy access via the integral, hinged table portals. For more convenience and if required, modules may include dividers for separate channelling of power and data cables; and strain anchors ensure safe and interference-free connections. Besides, the cable management channels are so spacious that they can also accept network adapters or battery charging devices for mobile telephones in addition to surplus cable.

A joint project between Wilkhahn and its subsidiary company, foresee™, resulted in the development of connectivity modules with a "show-me button"; the modules are optionally available and connected in series. At the push of a button, a participant can access a presentation on the output device from his or her place via a notebook to make contents spontaneously available to all other participants. What is more: only one cable string is required per table configuration to supply up to 40 users with all connections necessary.

Variable positioning of the table top bearers in the beam ensure that integrated technical equipment and table portals are located precisely where they are needed. If media technology is to be integrated, for example a retractable computer display, a variably positionable techni-frame is inserted between beam sections to ensure that the weight load is supported by the table frame and not by the table top.

We will be delighted to meet you for a personal consultation to find a technical solution that is perfectly tailored to your specific needs and provides you with optimal benefits.




1



2




3



4



5



6



7



8



9



10



11



12

1_Cable outlet aluminium, clear anodized 2_Cable outlet veneered to match table top 3_Integrated Techni-station Executive aluminium, with single-direction access 4_Telephone conference module aluminium, closed 5_Integrated double Techni-station Executive aluminium, with dual-direction access 6_Integrated double Techni-station Executive aluminium, with dual-direction access, closed 7_Telephone conference module aluminium, opened up 8_Integrated Techni-station Comfort aluminium, flipped up 9_Table portal veneered to match table top, open 10_Table portal veneered to match table top, closed 11_Double table portal veneered to match table top, with dual-direction access 12_Slot-in microphone

Functions. Materials. Models.

Function

Modular pedestal table system for configuring individually specified, static table configurations and free-standing tables for furnishing conference and executive interiors with a classic character in which wide spans of tables, customized table formats and forms and perfect integration of media technology are required.

Frame

T-shaped base in bright chromium-plated, die-cast aluminium or coated in the colour silver, satin finish, or black. Disc base in steel with a stainless steel covering, high-lustre polished, brushed or coated in the colour silver, satin finish, or black. Table column in steel tube, in bright chromium-plated or coated in the colour silver, satin finish, or black. Column optionally with duct for power supply (please specify when ordering). Beam with five mounting grooves in extruded aluminium profile, coated in the colour silver, satin finish, or black.

End closures and pivoting mechanism for attachment to table columns in die-cast aluminium in the same colour as the beam. Table top bearers in die-cast aluminium coated to match the beams in the colour silver, satin finish, or black,

for attaching the table top; the table top bearers are infinitely positionable within the beam and include steel devices for levelling out surface irregularities. Adjustable glides in black polypropylene, optionally with felt insert (for hard floors). The T-shaped base has colour-matched cover caps in stainless steel.

Base materials: table tops

Particle board for straight and double bullnose edge profile; MDF panel for chamfered edge profile.

Table top group 1 – laminate

Table top thickness 27 mm


Laminate according to Wilkhahn laminate samples.

Polypropylene edge profile in the same colour as the table surface.


Only straight edge profile possible.

Table top group 2 – veneer on top and underside


Table top thickness 27 mm




661/6, 120 x 280




661/61, 120 x 280




661/62, 120 x 280



662/30, diameter 240, 8–10* persons




662/40, 120 x 360, 10–12* persons



662/10, 180 x 340, 10–14* persons

662/20, 180 x 540, 14–18* persons



662/50, 220 x 360, 10–14* persons

662/60, 240 x 540, 14–18* persons

Variation 1

Beech, maple, oak or ash veneer according to Wilkhahn woodstain colour samples (exception: maple or ash with a natural finish is not available with a straight edge profile). Solid wood lipping as far as possible in the same colour as the veneer.

Variation 2

Cherry or walnut veneer according to Wilkhahn woodstain colour samples. Solid wood lipping as far as possible in the same colour as the veneer. Real wood veneer is processed by slip-match method onto the table top.

Modesty panels

In fluted aluminium that can be shaped to adapt to the contours of the table configuration; clear anodized or coated in the colour silver, satin finish, or black. Support brackets in steel, coated in the colour silver, satin finish, or black.


Cable channels

Fold-down, in extruded aluminium profile with guiding grooves, coated in the colour silver, satin finish, or black depending on the surface finish. Optional dividers and strain anchors in black plastic.


Techni-frames

Optional techni-frames in steel profile coated in the same colour as the beams and table top bearers, allowing variable positioning in depth, for insertion between ends of beams.


Subject to technical change without notice.



661/63, 120 x 280




661/8, 120 x 280



663/60, circular table configuration,
table top depth 90, diameter 1126,
36 persons


665/60, circular table configuration,
table top depth 120, diameter 1156,
36 persons



Example of U-shape: table top depth
90, 360 x 360, 12–15* persons


All dimensions in cm

* Number of persons in a high density seating arrangement (70 cm edge length per person)




664/30, table top depth 90, 398 x 1234, 30–32* persons

666/30, table top depth 120, 456 x 1277, 30–32* persons




664/70, table top depth 90, 290 x 1253, 30–32* persons

666/70, table top depth 120, 349 x 1308, 30–32* persons




664/10, table top depth 90, 227 x 537, 14–16* persons

666/10, table top depth 120, 287 x 592, 14–16* persons




664/20, table top depth 90, 317 x 537, 16–18* persons

666/20, table top depth 120, 377 x 592, 16–18* persons




664/40, table top depth 90, 468 x 1234, 32–34* persons

666/40, table top depth 120, 546 x 1277, 32–34* persons




664/80, table top depth 90, 380 x 1253, 32–34* persons

666/80, table top depth 120, 439 x 1308, 32–34* persons



664/50, table top depth 90, 204 x 540, 14–16* persons

666/50, table top depth 120, 263 x 597, 14–16* persons



664/60, table top depth 90, 294 x 540, 16–18* persons

666/60, table top depth 120, 353 x 597, 16–18* persons

Travis. Conference. Excellence. State-of-the-art.

Wilkhahn started to specialize in furnishing conference interiors with high-quality design and customized solutions many years ago. Table ranges such as Confair, Timetable, Logon or Palette have set new international standards for dynamic and variable table configurations that are still valid today. And Wilkhahn was the first company to integrate modern, interactive information and communication technologies into conference furniture, thus creating a new generation of solutions for conference settings. Competence in terms of concept formation, award-winning industrial design, high-quality customization and technological know-how mark the excellence of Wilkhahn conference furniture solutions throughout the world.

Global experience and the latest knowledge on the quality of applications, features and design have been incorporated into the development of Travis in order to offer "Conference. Excellence." within static meeting environments also.

The pre-specified models of free-standing tables and table configurations will give you an initial overview of the host of possibilities for coordinating Travis solutions with space format, the number of seats required and the utilization concept. In addition, there is extremely wide scope for re-dimensioning table sizes and forms, and for specifying table surface finishes and technical equipment to meet your personal requirements.

Your brief is our challenge.

