

De Projectinrichter

www.deprojectinrichter.com
088 - 650 12 34

Catifa 60
design Lievore Altherr Molina 2004



Catifa 60

CATIFA 60 (Lievore, Altherr, Molina) 2008

Catifa 60 further enriches the already extensive Catifa range. It has the same sinuous, soft lines that already give Catifa chairs their distinctive look, but with a new shell that makes them even more practical. The Catifa 60 is available in three heights (low – Conference - medium – Office - and high – Direction-) and is designed for executive rooms, offices and conference rooms.

The Catifa 60 chair is available in soft polyurethane with leather or fabric covering, in a choice of colours, and can be fitted with covered armrests. The base comes in a 4-star polished aluminium version, either swivel or with tilt and repositioning mechanisms, or in a 5-star polished aluminium version on castors, with gas and optional tilt mechanisms.

The Catifa 60 collection is **GREENGUARD** certified.



Materials

Structure




Aluminium
LU1

Faux leather
Soft leather
Soft leather Elmosoft
Fabric A - Orange 2
Fabric B - Flora 2
Fabric B - Pro 2
Fabric C - Divina 3
Fabric C - Divina Melange 2
Fabric C - Sinclair
Fabric C - Tonus 3
Fabric C - Topas 2
Fabric C - Hallingdal
Fabric D - Glove 2

Items



Chair with four-star central structure in shiny aluminium, either swivelling (art. 2116), or with repositioning and tilt mechanisms (art. 2124). The shell with low backrest is in polyurethane, covered with full-grain leather, eco-leather, fabric or customer's fabric.



COVERING			ART. 2116 SWIVEL BASE	ART. 2124 RETURN AND TILT MECHANISM
FABRIC A				
FABRIC B				
FABRIC C				
FABRIC D				
FAUX LEATHER - EP				
SOFT LEATHER - PF				
SOFT LEATHER ELMOSSOFT - ES				
CUSTOMER'S OWN MATERIAL H. 140 CM. *				

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 1 box - kg 24.96 / m³ 0.348	* H 140 cm. Meterage ml 1	FIRE RETARDANT FOAM: UK CONTRACT: BS7176-07 Medium Hazard: Elmosoft. Faux leather.Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal, Sinclair). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	

Aluminium frame base


LU1

Covering

- Fabric

A

Orange 2

B

Flora 2
Pro 2

C

Divina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal

D

Glove 2
- Faux leather

EP

8 Types
- Soft leather

PF

13 Types
- Soft leather Elmosoft

ES

42 Types


Tilt mechanism



Catifa 60

design Lievore Altherr Molina 2008

Armchair with four-star central structure in shiny aluminium, either swivelling (art. 2117), or with repositioning and tilt mechanisms (art. 2127), equipped with armrests. The shell with low backrest is in polyurethane, covered with full-grain leather, eco-leather, fabric or customer's fabric.



COVERING		ART. 2117 SWIVEL BASE	ART. 2127 RETURN AND TILT MECHANISM
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 140 CM.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 1 box - kg 26.96 / m³ 0.348	* H 140 cm. Meterage ml 1	FIRE RETARDANT FOAM: UK CONTRACT: BS7176-07 Medium Hazard: Elmosoft. Faux leather.Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal, Sinclair). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	

Aluminium frame base



LU1

Covering

Fabric



Orange 2

Flora 2
Pro 2Divina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal

Glove 2

Faux leather



8 Types

Soft leather



13 Types

Soft leather Elmosoft



42 Types

Armrest




Tilt mechanism



Catifa 60
design Lievore Altherr Molina 2008

Chair with four-star central structure in shiny aluminium, either swivelling (art. 2108), or with repositioning and tilt mechanisms (art. 2125). The shell with medium-height backrest is in polyurethane, covered with full-grain leather, eco-leather, fabric or customer's fabric.



COVERING			ART. 2108 SWIVEL BASE	ART. 2125 RETURN AND TILT MECHANISM
FABRIC A				
FABRIC B				
FABRIC C				
FABRIC D				
FAUX LEATHER - EP				
SOFT LEATHER - PF				
SOFT LEATHER ELMOSOFT - ES				
CUSTOMER'S OWN MATERIAL H. 140 CM. *				

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 1 box - kg 31.95 / m³ 0.944	* H 140 cm. Meterage ml 1.3	FIRE RETARDANT FOAM: UK CONTRACT: BS7176-07 Medium Hazard: Elmosoft. Faux leather.Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal, Sinclair). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	

Aluminium frame base


LU1

Covering

- Fabric

AOrange 2

BFlora 2
Pro 2

CDivina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal

DGlove 2
- Faux leather

EP

8 Types
- Soft leather

PF

13 Types
- Soft leather Elmosoft

ES

42 Types


Tilt mechanism



Catifa 60

design Lievore Altherr Molina 2008

Armchair with four-star central structure in shiny aluminium, either swivelling (art. 2109), or with repositioning and tilt mechanisms (art. 2128), equipped with armrests. The shell with medium-height backrest is in polyurethane, covered with full-grain leather, eco-leather, fabric or customer's fabric.



COVERING		ART. 2109 SWIVEL BASE	ART. 2128 RETURN AND TILT MECHANISM
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 140 CM.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 1 box - kg 33.95 / m ³ 0.944	* H 140 cm. Meterage ml 1.3	FIRE RETARDANT FOAM: UK CONTRACT: BS7176-07 Medium Hazard: Elmosoft. Faux leather.Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal, Sinclair). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	

Aluminium frame base



LU1

Covering

Fabric



Orange 2

Flora 2
Pro 2Divina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal

Glove 2

Faux leather



8 Types

Soft leather



13 Types

Soft leather Elmosoft



42 Types

Armrest




Tilt mechanism



Catifa 60

design Lievore Altherr Molina 2008

Chair with four-star central structure in shiny aluminium, either swivelling (art. 2100), or with repositioning and tilt mechanisms (art. 2126). The shell with high backrest is in polyurethane, covered with full-grain leather, eco-leather, fabric or customer's fabric.



COVERING			ART. 2100 SWIVEL BASE	ART. 2126 RETURN AND TILT MECHANISM
FABRIC A				
FABRIC B				
FABRIC C				
FABRIC D				
FAUX LEATHER - EP				
SOFT LEATHER - PF				
SOFT LEATHER ELMOSOFT - ES				
CUSTOMER'S OWN MATERIAL H. 140 CM. *				

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 1 box - kg 34 / m³ 0.944	* H 140 cm. Meterage ml 1.5	FIRE RETARDANT FOAM: UK CONTRACT: BS7176-07 Medium Hazard: Elmosoft. Faux leather.Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal, Sinclair). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	

Aluminium frame base


LU1

Covering

- Fabric

AOrange 2

BFlora 2
Pro 2

CDivina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal

DGlove 2
- Faux leather

EP8 Types
- Soft leather

PF13 Types
- Soft leather Elmosoft

ES42 Types


Tilt mechanism



Catifa 60

design Lievore Altherr Molina 2008

Armchair with four-star central structure in shiny aluminium, either swivelling (art. 2101), or with repositioning and tilt mechanisms (art. 2129), equipped with armrests. The shell with high backrest is in polyurethane, covered with full-grain leather, eco-leather, fabric or customer's fabric.



COVERING		ART. 2101 SWIVEL BASE	ART. 2129 RETURN AND TILT MECHANISM
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 140 CM.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 1 box - kg 36 / m ³ 0.944	* H 140 cm. Meterage ml 1.5	FIRE RETARDANT FOAM: UK CONTRACT: BS7176-07 Medium Hazard: Elmosoft. Faux leather.Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal, Sinclair). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	

Aluminium frame base



LU1

Covering

Fabric



Orange 2

Flora 2
Pro 2Divina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal

Glove 2

Faux leather



8 Types

Soft leather



13 Types

Soft leather Elmosoft



42 Types


Armrest



Tilt mechanism



Chair with shiny aluminium five-star base mounted on castors, available with gas mechanism (art. 2120) or with gas and tilt mechanism (art. 2122). The shell with low backrest is in polyurethane, covered with leather, faux leather, fabric or customer's fabric.



COVERING			ART. 2120 GAS MECHANISM	ART. 2122 GAS AND TILT MECHANISM
FABRIC A				
FABRIC B				
FABRIC C				
FABRIC D				
FAUX LEATHER - EP				
SOFT LEATHER - PF				
SOFT LEATHER ELMOSOFT - ES				
CUSTOMER'S OWN MATERIAL H. 140 CM. *				

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 1 box - kg 22.96 / m ³ 0.348	* H 140 cm. Meterage ml 1	FIRE RETARDANT FOAM: UK CONTRACT: BS7176-07 Medium Hazard: Elmosoft. Faux leather.Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal, Sinclair). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	

Aluminium frame base


LU1

Covering

- Fabric

A

Orange 2

B

Flora 2
Pro 2

C

Divina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal

D

Glove 2
- Faux leather

EP

8 Types
- Soft leather

PF

13 Types
- Soft leather Elmosoft

ES

42 Types


Tilt mechanism



Catifa 60

design Lievore Altherr Molina 2008

Chair with shiny aluminium five-star base mounted on castors, fitted with armrests and available with gas mechanism (art. 2121) or with gas and tilt mechanism (art. 2123), equipped with armrests. The shell with low backrest is in polyurethane, covered with leather, faux leather, fabric or customer's fabric.



COVERING		ART. 2121 GAS MECHANISM	ART. 2123 GAS AND TILT MECHANISM
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 140 CM.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 1 box - kg 24.96 / m ³ 0.348	* H 140 cm. Meterage ml 1	FIRE RETARDANT FOAM: UK CONTRACT: BS7176-07 Medium Hazard: Elmosoft. Faux leather.Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal, Sinclair). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	

Aluminium frame base



LU1

Covering

Fabric



Orange 2

Flora 2
Pro 2Divina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal

Glove 2

Faux leather



8 Types

Soft leather



13 Types

Soft leather Elmosoft



42 Types

Armrest




Tilt mechanism



Catifa 60

design Lievore Altherr Molina 2008

Chair with shiny aluminium five-star base mounted on castors, available with gas mechanism (art. 2112) or with gas and tilt mechanism (art. 2114). The shell with medium height backrest is in polyurethane, covered with leather, faux leather, fabric or customer's fabric.



COVERING			ART. 2112 GAS MECHANISM	ART. 2114 GAS AND TILT MECHANISM
FABRIC A				
FABRIC B				
FABRIC C				
FABRIC D				
FAUX LEATHER - EP				
SOFT LEATHER - PF				
SOFT LEATHER ELMOSOFT - ES				
CUSTOMER'S OWN MATERIAL H. 140 CM.*				

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 1 box - kg 30.45 / m ³ 0.944	* H 140 cm. Meterage ml 1.3	FIRE RETARDANT FOAM: UK CONTRACT: BS7176-07 Medium Hazard: Elmosoft. Faux leather.Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal, Sinclair). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	Art. 2114 EN 1335-3:00 5 UNI EN 1728/00 6.2.1 1:3 3° UNI EN 1728/00 6.2.2 1:3 3° UNI EN 1728/00 6.7 1:3 3°

Aluminium frame base


LU1

Covering

Fabric

AOrange 2

BFlora 2
Pro 2

CDivina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal

DGlove 2

Faux leather

EP

8 Types

Soft leather

PF

13 Types

Soft leather Elmosoft

ES

42 Types


Tilt mechanism



Catifa 60

design Lievore Altherr Molina 2008

Chair with shiny aluminium five-star base mounted on castors, fitted with armrests and available with gas mechanism (art. 2113) or with gas and tilt mechanism (art. 2115). The shell with medium height backrest is in polyurethane, covered with leather, faux leather, fabric or customer's fabric.



COVERING		ART. 2113 GAS MECHANISM	ART. 2115 GAS AND TILT MECHANISM
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 140 CM.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 1 box - kg 32.45 / m ³ 0.944	* H 140 cm. Meterage ml 1.3	FIRE RETARDANT FOAM: UK CONTRACT: BS7176-07 Medium Hazard: Elmosoft. Faux leather.Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal, Sinclair). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	

Aluminium frame base



LU1

Covering

Fabric



Orange 2

Flora 2
Pro 2Divina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal

Glove 2

Faux leather



8 Types

Soft leather



13 Types

Soft leather Elmosoft



42 Types

Armrest




Tilt mechanism



Catifa 60
design Lievore Altherr Molina 2008

Chair with shiny aluminium five-star base mounted on castors, available with gas mechanism (art. 2104) or with gas and tilt mechanism (art. 2106). The shell with high backrest is in polyurethane, covered with leather, faux leather, fabric or customer's fabric.



COVERING			ART. 2104 GAS MECHANISM	ART. 2106 GAS AND TILT MECHANISM
FABRIC A				
FABRIC B				
FABRIC C				
FABRIC D				
FAUX LEATHER - EP				
SOFT LEATHER - PF				
SOFT LEATHER ELMOSOFT - ES				
CUSTOMER'S OWN MATERIAL H. 140 CM. *				

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 1 box - kg 32 / m³ 0.944	* H 140 cm. Meterage ml 1.5	FIRE RETARDANT FOAM: UK CONTRACT: BS7176-07 Medium Hazard: Elmosoft. Faux leather.Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal, Sinclair). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	

Aluminium frame base


LU1

Covering

Fabric

AOrange 2

BFlora 2
Pro 2

CDivina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal

DGlove 2

Faux leather

EP

8 Types

Soft leather

PF

13 Types

Soft leather Elmosoft

ES

42 Types


Tilt mechanism



Catifa 60

design Lievore Altherr Molina 2008

Chair with shiny aluminium five-star base mounted on castors, fitted with armrests and available with gas mechanism (art. 2105) or with gas and tilt mechanism (art. 2107). The shell with height backrest is in polyurethane, covered with leather, faux leather, fabric or customer's fabric.



COVERING		ART. 2105 GAS MECHANISM	ART. 2107 GAS AND TILT MECHANISM
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 140 CM.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 1 box - kg 34 / m ³ 0.944	* H 140 cm. Meterage ml 1.5	FIRE RETARDANT FOAM: UK CONTRACT: BS7176-07 Medium Hazard: Elmosoft. Faux leather.Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal, Sinclair). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	

Aluminium frame base



LU1

Covering

Fabric



Orange 2

Flora 2
Pro 2Divina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal

Glove 2

Faux leather



8 Types

Soft leather



13 Types

Soft leather Elmosoft



42 Types

Armrest



Tilt mechanism



arper

De Projectinrichter

www.deprojectinrichter.com
088 - 650 12 34