



BuzziDonut

PRODUCT INFORMATION



TASTY BY NAME AND TASTEFUL BY NATURE


A round, sound-insulating panel with a hole in the middle that gives it its tasty name. Tasty by name and tasteful by nature. A sleek round form with a space in the middle for lighting, to be covered with one of the specially-designed 3D prints available in all the colours of the BuzziSpace spectrum.

The BuzziDonut is a fine piece that does not just light up the room but improves the acoustic qualities of the space as well.

Design by BuzziSpace Design Team




BuzziDonut Content



BuzziDonut
Dimensions

4
5



BuzziDonut Stack
Example Setting

9
10

Technical

Fixing System Wall 11

Fixing Points 12

Light 13

Acoustic 14




BuzziDonut

Composition


- FRAME
 - Honeycomb carton + MDF
- FILLING
 - CME35H foam
- COVER
 - BuzziFabric, BuzziRough, BuzziTerra
- PATTERN
 - Flat | 3D Rib | 3D Drop | 3D Leaf
- LIGHT
 - optional
- FIXING
 - Wall Version
 - Pendant Version

SIZE		THICKNESS	ANTISKID	FABRIC BACKING
S	80 cm Ø	6 cm	3,5 kg	4 kg
	31.50" Ø	2.36"	3.53 lbs	3.53 lbs
M	100 cm Ø	6cm	4,5 kg	6 kg
	39.37" Ø	2.36"	5.95 lbs	3.53 lbs
L	120 cm Ø	6cm	5,5 kg	8 kg
	47.24" Ø	2.36"	8.36 lbs	3.53 lbs







BuzziDonut Flat

Dimensions




BuzziDonut 3DRib

Dimensions






BuzziDonut 3DLeave

Dimensions



BuzziDonut 3DDrop

Dimensions



BuzziDonut Stack

Composition



1. BOTTOM RING IS ALWAYS BUZZIDONUT

SIZE	80 / 100 / 120 cm 31.5" / 39.37" / 47.24"
PATTERN	Flat / 3DRib / 3DLeaf / 3DDrop
LIGHT	optional
COVER	BuzziFabric, BuzziRough, BuzziTerra Upside Antiskid / Upside Covered (surcharge)
FIXING	Black Cables 2-5m 78.74"- 196.85" Alu Cables 2-5m 78.74"- 196.85"

2. EVERY RING ABOVE IS ALWAYS BUZZIDONUT STACK

! Maximum 4 levels: BuzziDonut + 3 BuzziDonut Stacks	
SIZE	80 / 100 / 120 cm 31.5" / 39.37" / 47.24"
PATTERN	Flat / 3DRib / 3DLeaf / 3DDrop
COVER	BuzziFabric, BuzziRough, BuzziTerra Upside Antiskid / Upside Covered (surcharge)
FIXING	Always in combination with BuzziDonut. Fixing included with BuzziDonut.



3. DISTANCE BETWEEN DONUT AND DONUTSTACK

Because the wires run through each element without interruption, you can modify and adjust at all times. Each ring is packed separately.


1. Install cables
2. Slide over all Donut Stacks one by one
3. End chain with normal Donut

BuzziDonut Stack

Example Setting




BuzziDonut Fixing System Wall




BuzziDonut Fixing Points

Dimensions



BuzziDonut Fixing Systems


WALL



Fixing System Wall


- Screws for wall not included
- One metal wall mount
- Three adjuster glides

CEILING



Fixing System Screw

- screws for ceiling not included, 2 stair bolts M6 needed
- Cables:
 - 200 cm | 78.74" | $\varnothing$ 1,5mm | 0.06"
 - 500 cm | 196.85" | $\varnothing$ 1,5mm | 0.06"



BuzziDonut Light Classification

Overview

FINISHES	• White
MATERIALS	• ABS Shade / Polycarbonate lens assembly - Aluminum stem / ABS Canopy / Fabric cord • Steel mounting hardware
FEATURES	• 360° shade rotation / 45° shade tilt • Fully dimmable light source • Glare-free illumination
BULB TYPE	• LED Flat - Panel
CERTIFICATIONS	• ETL, CE, PSE, RoHS
SPECIFICATIONS	Power consumption: 11W Voltage: 120/220V 60Hz Color temperature: 2700K Luminosity: 526 Lumens Luminaire efficacy: 48 Lumens/ Watt Color Rendition Index: 85 CRI Title 20 compliant 50K hour lifespan Cord length: 304cm 10" field cuttable

