

## BuzziBack

XXL and available in tailored sizes: the BuzziBack is the BuzziBoard's big brother. Of course you can pin all kinds of things to this sound-insulating screen and attach it to metal cabinets. So it's practical to fix your office things to and attractive in any office environment.

Design by BuzziSpace Design team



De Projectinrichter

[www.deprojectinrichter.com](http://www.deprojectinrichter.com)  
088 - 650 12 34

more pictures? click here



## BuzziBack | Content

### COMPOSITION

- 2 layers of BuzziFelt stitched together
- Stitch: on Felt/Fabric/Terra: always OffWhite (except for BuzziFree OffWhite, Naturel, Ivory > stitch Anthracite)  
on Rough: similar colour

### USE

- panel attached to a surface with tape or magnetic strip
- for vertical use only


### OPTIONS

- BuzziFelt | BuzziFabric | BuzziTerra | BuzziRough
- adhesive tape or magnetic strip

## BuzziBack | Ratings

- Flammability: BuzziFelt: EN 13501-1 + A1: 2009  
ASTM E84 Class B certified  
BS476 Part 6 and 7 Class 0
- BuzziTerra / BuzziTartan: CRIB 5  
CAL 117 PASS
- BuzziFabric: EN 1021.1/2006 | BS EN 1021.1/2006 (cigarette)  
EN 1021.2/2006 | BS EN 1021.2/2006 (match)  
CAL TB 117
- BuzziRough: EN 1021.1/2006 | BS EN 1021.1/2006 (cigarette)  
DIN 4102 - B1

- Acoustic:



Hz	$\alpha_s$
125	0.01
250	0.00
500	0.28
1000	0.79
2000	1.00
4000	1.00

Classification of sound absorbers NEN-EN-ISO 11654	
A	0.90   0.95   1.0
B	0.80   0.85
C	0.60   0.65   0.70   0.75
D	0.03   0.55
E	0.15   0.25

NRC **0.50** Noise Reduction Coefficient  
Class **D**

SAA **0.51** Sound Absorption Average  
 $\alpha_w$  **0.30** (MH)

## BuzziBack | Useful Links



Price List



Warranty



Install. instructions



2D DWG



3D Sketchup

Questions? Don't hesitate to contact your local agent or distributor



## BuzziBack | Dimensions & Weight

	<b>Width</b>	<b>Length</b>
Minimum dimensions:	min. 40 cm <i>min. 15.75"</i>	min. 80 cm <i>min. 31.50"</i>
Maximum dimensions:	max. 120 cm <i>max. 47.24"</i>	max. 200 cm <i>max. 78.74"</i>

[www.deprojectinrichter.com](http://www.deprojectinrichter.com)  
088 - 650 12 34

<b>Weight:</b>	<b>Felt:</b>	2 kg / m <sup>2</sup> <i>0.41 lbs / sq ft</i>
+ selfadhesive tape (W 4cm):		28 g / lm <i>(W 1.57): 0.91 oz / ly</i>
+ magnetic tape (W 10 cm):		340 g / lm <i>(W 3.94) 10.96 oz / ly</i>

