


bizon



expresso



natura



De Projectinrichter

www.deprojectinrichter.com
088 - 650 12 34

europese stierenhuiden	geprent gepigmenteerd	dikte	1.0-1.2 mm	lichtechtheid	3
eauropean bull hides	aniline leather	dikte	1.0-1.2 mm	lightfastness	3
europalische bullenhaute	anilinleder	starke	1.0-1.2 mm	lichtechtheid	3

cordoba



chianti



ivoire



lei



niger



togo



europese stierenhuiden
 european bull hides
 europäische bullenhäute

semi-anilin leder
 semi-anilin leather
 semi-anilinleder

dikte 1.0-1.2 mm
 dikte 1.0-1.2 mm
 starke 1.0-1.2 mm

lichtechtheid 3-4
 lightfastness 3-4
 lichtechtheit 3-4

highland



tabasco




amethyst



blance



bruin



cachemire



camel



citrus



ginger




granat



moka



olive



scarlet



sheriba



tomatao

europese stierenhuiden
 european bull hides
 europäische bullenhaute

semi-anilin leder
 semi-anilin leather
 semi-anilinleder

dikte 1.0-1.2 mm
 dikte 1.0-1.2 mm
 starke 1.0-1.2 mm

lichtechtheid 4-5
 lightfastness 4-5
 lichtechtheit 4-5

panama



5000



5480



5010




5030



5040



5020



5050



5060



5070



5500



5080



5090



5100



5110



5400



5270

europese stierenhuiden
european bull hides
europäische bullenhaute

geprent gepigmenteerd
embossed leather
pressnarben leder

dikte 1.0-1.2 mm
dikte 1.0-1.2 mm
starke 1.0-1.2 mm

lichtechtheid 6
lightfastness 6
lichtechtheid 6


panama




5320



5280



5120



5130



5140



5150



5160



5490



5380



5390



5430



5340



5350



5360



5190



5180

europese stierenhuiden
european bull hides
europäische bullenhaute

geprent gepigmenteerd
embossed leather
pressnarben leder


dikte 1.0-1.2 mm
dikte 1.0-1.2 mm
starke 1.0-1.2 mm

lichtechtheid 6
lightfastness 6
lichtechtheid 6

panama



5200



5370



5210



5220



5170



5330




5440



5450




5460



5470




5410




5240



5420



5230



5250



5260

europese stierenhuiden
european bull hides
europäische bullenhaute

geprent gepigmenteerd
embossed leather
pressnarben leder

dikte 1.0-1.2 mm
dikte 1.0-1.2 mm
starke 1.0-1.2 mm

lichtechtheid 6
lightfastness 6
lichtechtheid 6

panama




5290



5310



5300



europese stierenhuiden
 european bull hides
 europäische bullenhaute

geprent gepigmenteerd
 embossed leather
 pressnarben leder

dikte 1.0-1.2 mm
 dikte 1.0-1.2 mm
 starke 1.0-1.2 mm

lichtechtheid 6
 lightfastness 6
 lichtechtheit 6

rancho



camelo



barro



castanya



moreno



negro



sienna



tinto




antracita

europese stierenhuiden
 european bull hides
 europäische bullenhaute

anilin leder
 aniline leather
 anilinleder

dikte 1.0-1.2 mm
 dikte 1.0-1.2 mm
 starke 1.0-1.2 mm


lichtechtheid 3
 lightfastness 3
 lichtechtheit 3



brianza



1062



samenstelling	51% viscose / 31% katoen / 18% linnen	slijtvastheid	34.000 M	lichtechtheid	6
composition	51% viscose / 31% cotton / 18% linen	abrasion	34.000 M	lightfastness	6
material	51% viskose / 31% baumwolle / 18% leinen	scheuerfestigheid	34.000 M	lichtechtheit	6

credo



snow 82



jasmin 81




stone 80



paradise 79



moss 83



coral 78




heart 77



dark brown 76



prune 74




black 75

samenstelling 94% scheerwol / 6% nylon
 composition 94% shearing wool / 6% nylon
 material 94% scherwollee / 6% nylon


slijtvastheid 50.000 M
 abrasion 50.000 M
 scheuerfestigheid 50.000 M

lichtechtheid 5-7
 lichtfastness 5-7
 lichtechtheit 5-7


divina 3




334




376



623



826



462

562

samenstelling 100% scheerwol
 composition 100% shearing wool
 material 100% scherwolle

slijtvastheid	45.000 M	lichtechtheid	6-7
abrasion	45.000 M	lightfastness	6-7
scheuerfestigheid	45.000 M	lichtechtheid	6-7


divina melange 2




120



180



421




521



681



821



931



samenstelling 100% scheerwol
 composition 100% shearing wool
 material 100% scherwolle

slijtvastheid	45.000 M	lichtechtheid	6-7
abrasion	45.000 M	lightfastness	6-7
scheurfestigheid	45.000 M	lichtechtheit	6-7

flores



60




65



25



112




samenstelling 40% viscose / 46% katoen / 14% linnen
 composition 40% viscose / 46% cotton / 14% linen
 material 40% viskose / 46% baumwolle / 14% leinen


slijtvastheid 17.000 M
 abrasion 17.000 M
 scheuerfestigheid 17.000 M

lichtechtheid 4-5
 lightfastness 4-5
 lichtechtheid 4-5


hallingdal




153




457




490




590



600



901



975

samenstelling 70% scheerwol / 30% viscose
 composition 70% shearing wool / 30% viscose
 material 70% scherwollee / 30% viskose

slijtvastheid	100.000 M	lichtechtheid	5-7
abrasion	100.000 M	lightfastness	5-7
scheuerfestigheid	100.000 M	lichtechtheit	5-7

malva



ecru 102



linen 110




sand 3



taupe 12



olive 53



army 14



petrol 56



bordeaux 37



grey 65



chocolate 17



antracite 67



onyx 169

samenstelling 58% katoen / 39% acryl / 3% polyester
 composition 58% cotton / 39% acrylic / 3% polyester
 material 58% baumwolle / 39% acryl / 3% polyester

slijtvastheid 50.000 M
 abrasion 50.000 M
 scheurvastheid 50.000 M

lichtechtheid 4
 lightfastness 4
 lichtechtheid 4



mykonos



60




70



30



40



samenstelling	25% acryl / 24% polyester / 19% katoen 11% wol / 11% linen / 6 % nylon / 3% viscose	slijtvastheid	20.000 M	lichtechtheid	4-5
composition	25% acrylic / 24% polyester / 19% cotton 11% wool / 11% linen / 6 % nylon / 3% viscose	abrasion	20.000 M	lightfastness	4-5
material	25% acryl / 24% polyester / 19% baumwolle 11% wolle / 11% leinen / 6 % nylon / 3% viskose	scheuerfestigheid	20.000 M	lichtechtheid	4-5

opera




jasmin 66



calla 65



almond 67



pepper 64



rosso 73



petrol 68



anthrazit 71



rosewood 69



elegant 72



ebony 70

samenstelling 96% scheerwol / 4% nylon
 composition 96% shearing wool / 4% nylon
 material 96% scherwolle / 4% nylon

slijtvastheid 50.000 M
 abrasion 50.000 M
 scheuerfestigheid 50.000 M

lichtechtheid 5-7
 lightfastness 5-7
 lichtechtheit 5-7


random



65



70



samenstelling 34% linnen / 34% wol / 30% katoen /
5% polyamide

composition 934% linnen / 34% wool / 30% cotton /
5% polyamide

material 34% leinen / 34% wolle / 30% baumwolle /
5% polyamide

slijtvastheid 30.000 M lichtechtheid 3-4

abrasion 30.000 M lightfastness 3-4

scheuerfestigheid 30.000 M lichtechtheid 3-4

remix




113




233




433




643




923



933



953




samenstelling 90% scheerwol / 10% nylon
 composition 90% shearing wool / 10% nylon
 material 90% scherwolle / 10% nylon

slijtvastheid	100.000 M	lichtechtheid	5-7
abrasion	100.000 M	lightfastness	5-7
scheuerfestigheid	100.000 M	lichtechtheit	5-7

smile



55



60



65



70



samenstelling 62% viscose / 19% linnen / 17% katoen
2% polyester

composition 62% viscose / 19% linen / 17% cotton
2% polyester

material 62% viskose / 19% leinen / 17% baumwolle
2% polyester

slijtvastheid 22.000 M lichtechtheid 4-5

abrasion 22.000 M lightfastness 4-5

scheuerfestigheid 22.000 M lichtechtheid 4-5


steelcut




220



950




160



550



660



samenstelling 90% scheerwol / 10% nylon
 composition 90% shearing wool / 10% nylon
 material 90% scherwol / 10% nylon

slijtvastheid	80.000 M	lichtechtheid	5-7
abrasion	80.000 M	lightfastness	5-7
scheuerfestigheid	80.000 M	lichtechtheit	5-7


stitch



walnut



grass



samenstelling 90% scheerwol / 10% nylon
 composition 90% shearing wool / 10% nylon
 material 90% scherwolle / 10% nylon

slijtvastheid	100.000 M	lichtechtheid	5-7
abrasion	100.000 M	lightfastness	5-7
scheurfestigheid	100.000 M	liehtechtheit	5-7

treviso



62




57



54



80



samenstelling	25% wol/nylon / 68% polyester / 5% nylon 2% elasthan	slijtvastheid	35.000 M	lichtechtheid	5
composition	25% wool/nylon / 68% polyester / 5% nylon 2% elasthan	abrasion	35.000 M	lightfastness	5
material	25% wolle/nylon / 68% polyester / 5% nylon 2% elasthan	scheuerfestigheid	35.000 M	lichtechtheit	5

triangel



aqua



black

samenstelling 25% wol/nylon / 15% polyester /
60% polyamide

composition 25% wool/nylon / 15% polyester /
60% polyamide

material 25% wolle/nylon / 15% polyester /
60% polyamide

slijtvastheid	62.500 M	lichtechtheid	5
abrasion	62.500 M	lightfastness	5
scheuerfestigheid	62.500 M	lichtechtheid	5

urano



9



11



17



18

De Projectinrichter 

www.deprojectinrichter.com

088 - 650 12 34

samenstelling	29% acryl / 20% katoen / 20% viscose / 14% wol / 7% linen / 2% polyester / 7% nylon	slijtvastheid	35.000 M	lichtechtheid	4-5
composition	29% acrylic / 20% cotton / 20% viscose / 14% wool / 7% linen / 2% polyester / 7% nylon	abrasion	35.000 M	lightfastness	4-5
material	29% acryl / 20% baumwolle / 20% viskose / 14% wolle / 7% leinen / 2% polyester / 7% nylon	scheuerfestigheid	35.000 M	lichtechtheid	4-5