

CERTIFICATE

ON THE BASIS OF THE CONTRACT ON THE USE OF THE ENVIRONMENTAL LABEL NO. 23981 BASED ON RAL-UZ 120 EDITION 2011

NORA SYSTEMS GMBH 69469 WEINHEIM, GERMANY

IS GRANTED THE RIGHT TO USE THE BLUE ANGEL ECOLABEL SHOWN BELOW FOR THE PRODUCT

norament 926Designvarianten uni, grano, strada, lago, serra, crossline, satura, arago

AS A SIGN OF SPECIAL ENVIRONMENTAL FRIENDLINESS.

SANKT AUGUSTIN, THIS 17 JANUARY 2017



MANAGING DIRECTOR

RAL gGMBH



Bundesministerium für Umwelt, Naturschutz, Bau und Reaktorsicherheit





Certificate

Indoor Air Comfort Gold

norament 926 nTx in a system

Certified Product

nora systems GmbH

Applicant

The product complies with Indoor Air Comfort Gold requirements for product type, version 6.0 (2017). These include both inspections of factory production according to DIN 18200 and VOC testing according to EN 16516 and the ISO 16000 series, each in the latest versions, by an ISO 17025 accredited laboratory, at regular interval.

Indoor Air Comfort Gold certification ensures that low product emission requirements are fulfilled and is a sign of the applicant's focus on quality and contribution to a healthy indoor environment.

Details are defined in Indoor Air Comfort Gold requirements, version 6.0 (2017).

Certificate No.: IACG-31-08-2017 Date: 19 February 2018 Validity of certificate: 19 February 2023, with frequent surveillance and retesting. Compliance with Indoor Air Comfort Gold means compliance with VOC requirements on low emitting products of:

Belgium regulation, France VOC class A+, Germany (AgBB/ABG), BREEAM international, BREEAM NOR, BREEAM NL, LEED outside North America, WELL Building, SKA Rating, Italian regulation on GPP (Green Public Procurement), DGNB, BVB (Sweden), Blue Angel RAL UZ 120, Austrian ecolabel criteria, M1, Singapore Green Label, GreenTag Australia.

Juhan

Thomas Neuhaus Head of Certification Body

🔅 eurofins



Appendix to Certificate

IACG-31-08-2017

nora systems GmbH Höhnerweg 2-4 69469 Weinheim Germany

receives the Indoor Air Comfort Gold certificate with validity 19 February 2023 for below product group, including subgroups and individual products listed in the following table:

Product group	Products
norament 926 nTx in a system 3	norament 926 arago nTx, norament 926 crossline nTx, norament 926 grano nTx, norament 926 lago nTx, norament 926 satura nTx, norament 926 serra nTx, norament 926 strada nTx In combination with: nora L 1000, nora nTx 020

The products in this group are based on identical or similar recipe and are produced under equivalent conditions. Grouping of the products and inspection of the production process is part of the Indoor Air Comfort Gold certification. A worst-case product, which is representative for the whole group, is being tested frequently.

The emissions of styrene was below 30 μ g/m³ and the emissions of naphthalin was below 2 μ g/m³.

🤹 eurofins



Certificate

Indoor Air Comfort Gold

norament 926 in a system 1

Certified Product

nora systems GmbH

Applicant

The product complies with Indoor Air Comfort Gold requirements for product type, version 6.0 (2017). These include both inspections of factory production according to DIN 18200 and VOC testing according to EN 16516 and the ISO 16000 series, each in the latest versions, by an ISO 17025 accredited laboratory, at regular interval.

Indoor Air Comfort Gold certification ensures that low product emission requirements are fulfilled and is a sign of the applicant's focus on quality and contribution to a healthy indoor environment.

Details are defined in Indoor Air Comfort Gold requirements, version 6.0 (2017).

Certificate No.: IACG-31-02-2017 Date: 19 February 2018 Validity of certificate: 19 February 2023, with frequent surveillance and retesting. Compliance with Indoor Air Comfort Gold means compliance with VOC requirements on low emitting products of:

Belgium regulation, France VOC class A+, Germany (AgBB/ABG), BREEAM international, BREEAM NOR, BREEAM NL, LEED outside North America, WELL Building, SKA Rating, Italian regulation on GPP (Green Public Procurement), DGNB, BVB (Sweden), Blue Angel RAL UZ 120, Austrian ecolabel criteria, M1, Singapore Green Label, GreenTag Australia.

Juhan

Thomas Neuhaus Head of Certification Body

🔅 eurofins



Appendix to Certificate

IACG-31-02-2017

nora systems GmbH Höhnerweg 2-4 69469 Weinheim Germany

receives the Indoor Air Comfort Gold certificate with validity 19 February 2023 for below product group, including subgroups and individual products listed in the following table:

Product group	Products
norament 926 in a system 1	norament 926, norament 926 arago, norament 926 crossline, norament 926 grano, norament 926 satura, norament 926 serra In combination with: nora AC 100, nora L 1000, nora PRP 101

The products in this group are based on identical or similar recipe and are produced under equivalent conditions. Grouping of the products and inspection of the production process is part of the Indoor Air Comfort Gold certification. A worst-case product, which is representative for the whole group, is being tested frequently.

The emissions of styrene was below 30 μ g/m³ and the emissions of naphthalin was below 2 μ g/m³.

🔅 eurofins



Certificate

Indoor Air Comfort Gold

norament 926 in a system 2

Certified Product

nora systems GmbH

Applicant

The product complies with Indoor Air Comfort Gold requirements for product type, version 6.0 (2017). These include both inspections of factory production according to DIN 18200 and VOC testing according to EN 16516 and the ISO 16000 series, each in the latest versions, by an ISO 17025 accredited laboratory, at regular interval.

Indoor Air Comfort Gold certification ensures that low product emission requirements are fulfilled and is a sign of the applicant's focus on quality and contribution to a healthy indoor environment.

Details are defined in Indoor Air Comfort Gold requirements, version 6.0 (2017).

Certificate No.: IACG-31-03-2017 Date: 19 February 2018 Validity of certificate: 19 February 2023, with frequent surveillance and retesting. Compliance with Indoor Air Comfort Gold means compliance with VOC requirements on low emitting products of:

Belgium regulation, France VOC class A+, Germany (AgBB/ABG), BREEAM international, BREEAM NOR, BREEAM NL, LEED outside North America, WELL Building, SKA Rating, Italian regulation on GPP (Green Public Procurement), DGNB, BVB (Sweden), Blue Angel RAL UZ 120, Austrian ecolabel criteria, M1, Singapore Green Label, GreenTag Australia.

Juhan

Thomas Neuhaus Head of Certification Body

🔅 eurofins



Appendix to Certificate

IACG-31-03-2017

nora systems GmbH Höhnerweg 2-4 69469 Weinheim Germany

receives the Indoor Air Comfort Gold certificate with validity 19 February 2023 for below product group, including subgroups and individual products listed in the following table:

Product group	Products
norament 926 in a system 2	norament 926, norament 926 arago, norament 926 crossline, norament 926 grano, norament 926 satura, norament 926 serra In combination with: nora PU 102, nora L 1000, nora PRP 101

The products in this group are based on identical or similar recipe and are produced under equivalent conditions. Grouping of the products and inspection of the production process is part of the Indoor Air Comfort Gold certification. A worst-case product, which is representative for the whole group, is being tested frequently.

The emissions of styrene was below 30 μ g/m³ and the emissions of naphthalin was below 2 μ g/m³.

🔅 eurofins



GreenRate | Level A

trust brands[™]

Nora Systems GmbH

Hoehnerweg 2-4, 69469 Weinheim, Germany

This is to Certify that the following Product/s have been found in conformance with the Global GreenTag^{CertTM} Scheme Standard for the Tier and Level noted herein:

Norament Rubber Floor Covering GreenRate Level A

GreenStar [®] 'Design and As Built v1.1' and 'Interiors v1.1' Rating Tools Credits: Sustainable Products

GreenStar ® 'Performance v1.1' Rating Tool Credit: Procurement and Purchasing: Refurbishment Materials

Licenced Sites: Germany Licence No.: NSG-001-v3-2016 Licence Date: 8 March 2016 Latest Revision Date: 15 February 2018 Valid to: 8 March 2019 GreenTag^{CERT TM} Standard: Standard Version 3.2



trust brands www.globalgreentag.com

David Baggs Chief Executive Officer Global GreenTag^{CERT}™ Program Director

Global GreenTag Pty Ltd operates the Global GreenTag^{CertTM} Product Certification program under licence.



Conditions of Licence

The conditions of licence are contained in full in the Ecospecifier Global GreenTag^{CERT TM} Standard, Terms and Conditions, and Rules for the Use of the Mark Documents as sighted and/or executed by the Licensee.

green product certification trust brands

In summary it is the responsibility of the licensee in particular to:

- 1. always comply with the relevant provisions of the GreenTag certification program;
- 2. make all necessary arrangements for the conduct of the future evaluation, including provision for examining documentation and access to all areas, records (including internal audit reports) and personnel for the purposes of evaluation (e.g. testing, inspection, assessment surveillance, reassessment) and resolution of complaints;
- 3. make claims regarding certification only in respect of the scope for which certification has been granted;
- 4. not use its product certification in such a manner as to bring the GreenTag into disrepute and not make any statement regarding its product certification which the certification body may consider misleading or unauthorized;
- 5. upon suspension or cancellation of certification, discontinue its use of all advertising matter that contains any reference thereto and returns any certification documents as required by GreenTag;
- 6. use certification only to indicate that products are certified as being in conformity with specified GreenTag standards;
- 7. endeavour to ensure that no certificate or report nor any part thereof is used in a misleading manner;
- 8. make comment or inclusions solely in accordance with license requirements in making reference to its product certification in communication media such as online, emails, documents, brochures or advertising;
- 9. Inform GreenTag of any change in the Certified product or manufacturing process that is likely to significantly affect the product's design or specification, or changes in the ownership, structure or management of the Licensee, if relevant, or any other information that indicates the product may no longer comply with the requirements of this Standard;
- 10. In the event of GreenTag determining changes have been made to product or supplier details and not notified to GreenTag, the Licensee will, on receipt of a GreenTag 'Notice to Rectify', immediately provide GreenTag with the required details and any fees necessary to allow recertification. Failure to do so may result in the withdrawal of the Licence. If the product Licence is withdrawn, the Licensee must, within 7 days, cease to further promulgate all product marketing, packaging, advertising or other material carrying the logo. Furthermore all material carrying the Certification Mark/s must be withdrawn within 90 days.

Revision date	Certificate number	Notes
14 December 2016	NSG-001-v1-2016	upgrade to Level A
18 January 2017	NSG-001-v2-2016	renewal
15 February 2018	NSG-001-v3-2016	renewal

RAKENNUSTIETO>

The Building Information Foundation RTS sr



nora flooring systems Oy

The classification working group set up by the Building Information Foundation RTS sr has approved the following product:

norament 926 norament 926 arago norament 926 crossline norament 926 grano norament 926 lago norament 926 satura norament 926 serra norament 926 strada

as belonging to emission class M1 for building materials.

The classification is valid until 17.3.2020.

nora flooring systems Oy has the right to equip its classified products with the classification mark and to use this classification mark when marketing these products.

The decision is in line with the requirements laid down in the Classification of Indoor Climate 2008 and the Classification of Building Materials: General Instructions.

THE BUILDING INFORMATION FOUNDATION RTS sr

Jan

Matti Rautiola Director General

Laura Sariola Secretary of the Classification Working Group

RAKENNUSTIETO>

The Building Information Foundation RTS sr



nora flooring systems Oy

The classification working group set up by the Building Information Foundation RTS sr has approved the following product:

norament arago nTx norament® 926 crossline nTx norament® 926 grano nTx norament® 926 lago nTx norament® 926 satura nTx norament® 926 serra nTx norament® 926 strada nTx

as belonging to emission class M1 for building materials.

The classification is valid until 16.6.2019.

nora flooring systems Oy has the right to equip its classified products with the classification mark and to use this classification mark when marketing these products.

The decision is in line with the requirements laid down in the Classification of Indoor Climate 2008 and the Classification of Building Materials: General Instructions.

THE BUILDING INFORMATION FOUNDATION RTS sr

· Jank

Matti Rautiola Director General

Laura Sariola Secretary of the Classification Working Group

RAKENNUSTIETO>

The Building Information Foundation RTS sr



nora flooring systems Oy

The classification working group set up by the Building Information Foundation RTS sr has approved the following product:

norament 928 ed norament 928 grano ed

as belonging to emission class M1 for building materials.

The classification is valid until 8.3.2020.

nora flooring systems Oy has the right to equip its classified products with the classification mark and to use this classification mark when marketing these products.

The decision is in line with the requirements laid down in the Classification of Indoor Climate 2008 and the Classification of Building Materials: General Instructions.

THE BUILDING INFORMATION FOUNDATION RTS sr

. Jant

Matti Rautiola Director General

Laura Sariola Secretary of the Classification Working Group

LICENSED MARKS:

CRADLE TO CRADLE

PRODUCTS

INNOVATION

INSTITUTE



Cradle to Cradle Certified[™] Silver

THE LICENSED MARKS IDENTIFIED ABOVE MAY BE LICENSED TO:

nora systems GmbH

FOR THE BELOW LISTED CERTIFIED PRODUCTS ASSOCIATED WITH THE NAME:

Leuis B

Cradle to Cradle Products Innovation Institute

 ISSUE DATE

 CERTIFICATION #

 3495

 EXPIRATION DATE

 16 April 2020

 LEAD ASSESSMENT BODY:

 EPEA GmbH

Only the following products are considered Certified Product(s) within the scope of this certification and the associated Trademark License Agreement:

norament® 926 norament® 926 arago norament® 926 grano norament® 926 satura

Certified under Version 3.1 of the Cradle to Cradle Certified[™] Product Standard Use of Licensed Marks is subject to terms and conditions of the C2CPII Trademark License Agreement and Trademark Use Guidelines. Cradle to Cradle Certified[™] is a certification mark licensed by the Cradle to Cradle Products Innovation Institute



SINGAPORE GREEN BUILDING PRODUCT CERTIFICATE

AWARDED TO

nora systems GmbH Höhnerweg 2-4 69469 Weinheim, Germany

FOR THE PRODUCT



PRODUCT BRAND

nora

PRODUCT MODEL Refer to Appendix for certified models.

THE PRODUCT HAS BEEN ASSESSED ACCORDING TO THE ASSESSMENT CRITERIA OF THE SINGAPORE GREEN BUILDING PRODUCT CERTIFICATION SCHEME. IT HAS BEEN AWARDED THE RATING :



Director SGBC Pte Ltd

Certificate Number SGBP 2016-666 Original Issue Date 20th December 2016



Last Revision Date

19th December 2018

Valid Till

✓ Good ✓✓ Very Good ✓✓✓ Excellent ✓✓✓✓ Leader

The use and reliance on this certificate is subject to the terms and conditions of the Singapore Green Building Product Certification Scheme. Revised certificates may also be issued at the discretion of the Council. The certification status may be verified at the Singapore Green Building Council website (www.sgbc.sg).



SINGAPORE GREEN BUILDING PRODUCT CERTIFICATE

Appendix

Certificate Number: SGBP 2016-666

Models: 926, 926 crossline, 926 serra, 926 arago, 926 satura, 926 grano, 926 grano nTx, 926 satura nTx, 926 serra nTx, 926 arago nTx

(norament)

Amendments or additions to this appendix other than those authorised by SGBC render the appendix invalid.