

m o o o i®

De Projectinrichter

www.deprojectinrichter.com  
088 - 650 12 34



## NR2 Medium

---

An elegant, bright, lighthearted bubble is dressed in a fine web of black or white thread that shines and glimmers in the light.

---

<b>Designer</b>	Bertjan Pot
<b>Year of design</b>	2015
<b>Material</b>	Plastic, Polyester
<b>Additional</b>	The fibreglass threads are finer while the shape of the lamp more elongated and symmetric, forming a harmonious bubble of glossy light.

# m o o o i<sup>®</sup>

---

## technical



**Lightsource**

Solid State LED

**Colour temperature (degrees Kelvin, K) Colour rendering index**

2700K (warm white, comparable to incandescent) CRI\_Ra > 80

**Luminous flux (Lumen, lm):**

Approx 450

**Power consumption**

12W

**Dimmable**

Mains

**Canopy & Cable Colour**

Matching with the cap of fixture

---

## technical ul



Input Voltage:

120V ~ 50/60Hz

Power Consumption:

Max 12W

Colour Temperature:

2700K

Lightsource:

Solid State LED

CRI:

82

Lumen:

Approx 450

---

## colours



White fibreglass with a white cover and cable.



White fibreglass with a black cover and cable.



Black fibreglass with a black cover and cable.

# m o o o i<sup>®</sup>

## dimensions

55cm | 21.7"



40cm | 15.7"

---

## Recommended dimmer specs

For fluent dimming behaviour we advise a dimmer that is compatible with the following specs:

**Transformer type:** Electronic Low Voltage (ELV)

**Load type:** Capacitive load (C-Type)

**Dimmer type:** Trailing edge / Reverse phase

*Please note the functioning of the dimmer and the power supply combination can never be predicted, it always needs to be tested in practice.*

m o o o i<sup>®</sup>

## Packaging

H 52 cm | 20.5"

W 57 cm | 22.4"

D 57 cm | 22.4"

Colli 1/1

Product weight:

0.9 KG | 2.0 lb

With packaging:

3.7 KG | 8.2 lb

De Projectinrichter 

[www.deprojectinrichter.com](http://www.deprojectinrichter.com)  
088 - 650 12 34

Updated: 25 Jan, 2019